| | | PRODUCT FICHE | | | | |
|---|-----------------------------|---|--------------------------|------------|---------------------------|--|
| Comply with En | ergy Label Directive Eu 201 | 0/30/EU - Regulation No 65 1 or EN 15181 | 5/2014 of ov | ens accoro | ding to EN 60350 | |
| Comply wit | h EU directive 2009/125/E0 | C - regulation No 66/2014 a | ccording to | EN 60350- | 1 or EN 15181 | |
| Brand | SCHNEIDER | SCHNEIDER | | | | |
| Model | SCG71MFCR | | | | | |
| Type of oven | | Free Standing X | | | | |
| | | Built-in | | | | |
| Mass of the app | liance(M)(Net weight)kg | | 83,40 kg | | | |
| Number of cavit | ties | | 1 | | | |
| Heat source per cavity | | Electrical | Х | | | |
| | | Gas | | | | |
| | | Mix | | | | |
| Volume per cavity | | | 60 | | I | |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) | | | EC electric cavity | 0,76 | kWh/cycle | |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) | | | EC electric cavity | 0,75 | kWh/cycle | |
| Energy consumption required to heat a standardised load in a gas- fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) | | | EC gas cavity | - | MJ/cycle kWh/cycle (') | |
| Energy consumption required to heat a standardised load in a gas- fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) | | | EC gas cavity | - | MJ/cycle kWh/cycle (') | |
| Energy Efficiency Index per cavity | | | | 93,8 | | |
| Energy Efficiency Class | | | | А | | |
| (1) 1 kWh/cycle | = 3,6 MJ/cycle. | | | | | |

PRODUCT FICHE

Comply with Energy Label Directive Eu 2010/30/EU - Regulation No 65/2014 of ovens according to EN 60350-1 or EN 15181

Comply with EU directive 2009/125/EC - regulation No 66/2014 according to EN 60350-1 or EN 15181

| | | | - | | - | | |
|--|--------|---------------|---|------|---------------------------|--|--|
| Brand | | SCHNEIDER | | | | | |
| Model | | SCG71MFCR | | | | | |
| Type of oven | | Free Standing | | Х | | | |
| | | | Built-in | | | | |
| Mass of the appliance(M)(Net weight)kg | | | | kg | | | |
| Number of cavities | | | | 2 | | | |
| Heat source per cavity | | | Electrical | Х | | | |
| | | | Gas | | | | |
| | | | Mix | | | | |
| Volume per cavity | | | 51 | | I | | |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per | | | EC electric cavity EC electric | 0,72 | kWh/cycle kWh/cycle | | |
| Energy consumption required to heat a standardised load in a gas- fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) | | | EC gas cavity | - | MJ/cycle kWh/cycle (') | | |
| Energy consumption required to heat a standardised load in a gas- fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) | | | EC gas cavity | - | MJ/cycle kWh/cycle (') | | |
| Energy Efficiency Index per cavity | | | EEI cavity | 94,7 | | | |
| Energy Efficiency Class | | | А | | | | |
| (1) 1 kWh/cycle = | 3,6 MJ | /cycle. | | | | | |

PRODUCT FICHE

Information For Domestic Gas-Fired Hobs

| Informati | | 05 | | |
|-------------------------------|-------------------------------|-------------------------|--|--|
| Comply With Eu Directive 2009 | 9/125/EC- Regulation No 66/20 | 014 according to EN 30- | | |
| | 2-1 | | | |
| Brand | SCHNEIDER | | | |
| Model | SCG71MFCR | | | |
| | Electrical | | | |
| Type Of Hob | Gas | Х | | |
| | Mix | | | |
| Number of gas burners | 7 | | | |
| | Front Left Zone | 55,5 | | |
| | Rear Left Zone | - | | |
| | Front Right Zone | - | | |
| Energy efficiency per gas | Rear Right Zone | 55,5 | | |
| burner EE gas burner | Center Zone | 55,1 | | |
| | Front Center Zone | 56,0 | | |
| | Rear Center Zone | 56,0 | | |
| Energy Efficiency For The Gas | 55,6 | | | |